



LDH6A Polyclonal Antibody

Catalog No	BYab-05697
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	LDHAL6A LDHL2
Protein Name	L-lactate dehydrogenase A-like 6A (EC 1.1.1.27)
Immunogen	Synthesized peptide derived from human protein . at AA range: 50-130
Specificity	LDH6A Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
	5
Purity	≥90%
Purity Storage Stability	
	≥90%
Storage Stability	≥90%
Storage Stability Synonyms	≥90% -20°C/1 year
Storage Stability Synonyms Observed Band	≥90% -20°C/1 year 36kD
Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year 36kD Cytoplasm .
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90% -20°C/1 year 36kD Cytoplasm . Testis-specific. catalytic activity:(S)-lactate + NAD(+) = pyruvate + NADH.,pathway:Fermentation; pyruvate fermentation to lactate; (S)-lactate from pyruvate: step 1/1.,similarity:Belongs to the LDH/MDH superfamily.,similarity:Belongs to the
Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90% -20°C/1 year 36kD Cytoplasm . Testis-specific. catalytic activity:(S)-lactate + NAD(+) = pyruvate + NADH.,pathway:Fermentation; pyruvate fermentation to lactate; (S)-lactate from pyruvate: step 1/1.,similarity:Belongs to the LDH/MDH superfamily.,similarity:Belongs to the LDH/MDH superfamily. LDH family., catalytic activity:(S)-lactate + NAD(+) = pyruvate + NADH.,pathway:Fermentation; pyruvate fermentation to lactate; (S)-lactate from pyruvate: step 1/1.,similarity:Belongs to the LDH/MDH superfamily.,similarity:Belongs to the

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.





Western blot analysis of lysates from Jarkat cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd