



## **DIRC1** Polyclonal Antibody

Catalog No	BYab-06543
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	DIRC1
Protein Name	Disrupted in renal carcinoma protein 1 (Disrupted in renal cancer protein)
Immunogen	Synthesized peptide derived from human protein . at AA range: 20-100
Specificity	DIRC1 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	
Synonyms Observed Band	11kD
	11kD
Observed Band	
Observed Band Cell Pathway	Expressed at low steady-state level in adult placenta, testis, ovary, prostate, fetal
Observed Band Cell Pathway Tissue Specificity	Expressed at low steady-state level in adult placenta, testis, ovary, prostate, fetal kidney, spleen and skeletal muscle. disease:A chromosomal aberration involving DIRC1 is found in familial renal cell carcinoma 1-related translocation t(2;3)(q33;q21) (RCC1).,tissue specificity:Expressed at low steady-state level in adult placenta, testis, ovary,
Observed Band Cell Pathway Tissue Specificity Function	Expressed at low steady-state level in adult placenta, testis, ovary, prostate, fetal kidney, spleen and skeletal muscle. disease:A chromosomal aberration involving DIRC1 is found in familial renal cell carcinoma 1-related translocation t(2;3)(q33;q21) (RCC1).,tissue specificity:Expressed at low steady-state level in adult placenta, testis, ovary, prostate, fetal kidney, spleen and skeletal muscle., This gene consists of two exons and encodes a 104aa protein. Disruption of this gene by translocation t(2;3)(q33;q21) is associated with familial clear cell renal

## Nanjing BYabscience technology Co.,Ltd




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



**Usage suggestions** 

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## **Products Images**



Nanjing BYabscience technology Co.,Ltd