



AGAP4 rabbit pAb

| Catalog No | BYab-11676 |
|--|---|
| Isotype | IgG |
| Reactivity | Human;Rat;Mouse; |
| Applications | WB |
| Gene Name | AGAP4 CTGLF1 MRIP2 |
| Protein Name | AGAP4 |
| Immunogen | Synthesized peptide derived from human AGAP4 AA range: 296-346 |
| Specificity | This antibody detects endogenous levels of AGAP4 at Human |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |
| Dilution | WB 1: 500-2000 |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| | • |
| Synonyms | · |
| Synonyms Observed Band | , |
| • | |
| Observed Band | |
| Observed Band Cell Pathway | function:Putative GTPase-activating protein .,miscellaneous:Encoded by one of the numerous copies of centaurin gamma-like genes clustered in the q11 region of chromosome 10.,similarity:Belongs to the centaurin gamma-like family.,similarity:Contains 1 Arf-GAP domain.,similarity:Contains 1 PH domain.,similarity:Contains 2 ANK repeats., |
| Observed Band Cell Pathway Tissue Specificity | function:Putative GTPase-activating protein .,miscellaneous:Encoded by one of the numerous copies of centaurin gamma-like genes clustered in the q11 region of chromosome 10.,similarity:Belongs to the centaurin gamma-like familysimilarity:Contains 1 Arf-GAP domainsimilarity:Contains 1 PH |
| Observed Band Cell Pathway Tissue Specificity Function | function:Putative GTPase-activating protein .,miscellaneous:Encoded by one of the numerous copies of centaurin gamma-like genes clustered in the q11 region of chromosome 10.,similarity:Belongs to the centaurin gamma-like familysimilarity:Contains 1 Arf-GAP domainsimilarity:Contains 1 PH |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658




国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of lysates from AD293 cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd