



ELOVL6 Polyclonal Antibody

Catalog NoBYab-02631IsotypeIgGReactivityHuman;Mouse;RatApplicationsWB;ELISAGene NameELOVL6Protein NameElongation of very long chain fatty acids protein 6ImmunogenThe antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70SpecificityELOVL6 Polycional Antibody detects endogenous levels of ELOVL6 protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourcePolycional, Rabbit,IgGPurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionVestern Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; ELOVL FA elongase 2; hELO2; Fatty acid elongase 1; ELOVLFA elongase 6; ELOVL FA elongase 2; hELO2; Fatty acid elongase 2; hELO2; Fatty acid elongase; Long-chain fatty-acyl elongaseObserved BandSixDFunctionfunction: Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity. Belongator in the first and rate-limiting step of fatty acid elongastor (EC 6, 2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting tep of fatty acidelongation (Moor et al., 2001 (PubMed 116670322))		
Reactivity Human;Mouse;Rat Applications WB;ELISA Gene Name ELOVL6 Protein Name Elongation of very long chain fatty acids protein 6 Immunogen The antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70 Specificity ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturat	Catalog No	BYab-02631
Applications WB;ELISA Gene Name ELOVL6 Protein Name Elongation of very long chain fatty acids protein 6 Immunogen The antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70 Specificity ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function;Fatty acid elongases (EC 6, 2, 1, 3), such as ELOVL6, use malonyL-CoA as a 2-c-carbo donor in the first and rate-limiting, s	Isotype	lgG
Gene Name ELOVL6 Protein Name Elongation of very long chain fatty acids protein 6 Immunogen The antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70 Specificity ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongases (EC 6.2.1.3), such as ELOVL6, use matonyL-CoA as a 2-carbo donor in the first and rate-limiting set of fatty acid elondasia (Moon et 2-carbo donor fatty acid elongase 100 fat	Reactivity	Human;Mouse;Rat
Protein Name Elongation of very long chain fatty acids protein 6 Immunogen The antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70 Specificity ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family., Background Fatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbo	Applications	WB;ELISA
Immunogen The antiserum was produced against synthesized peptide derived from human ELOVL6. AA range:21-70 Specificity ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein. Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity:Belongs to the ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elon (rate), similarity acid elongase of acid protein on fatty acid elongase specific to C12-C16 saturated and monoinsaturated	Gene Name	ELOVL6
ELOVL6. AA range:21-70SpecificityELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein.FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.SourcePolyclonal, Rabbit,IgGPurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWestern Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongaseObserved Band35kDCell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity:Belongs to the ELO family., BackgroundFatty acid elongase (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-imiting step of fatty acid elongation	Protein Name	Elongation of very long chain fatty acids protein 6
Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Source Polyclonal, Rabbit,IgG Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity:Belongs to the ELO family., Background Fatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et acronor in the first and rate-limiting step of fatty acid elongation (Moon et acronor in the first and rate-limiting step of fatty acid elongation (Moon et acronor in the first and rate-limiting step of fatty acid elongation (Moon et acronor in the first and rate-limiting step of fatty acid elongation (Moon et acronor in th	Immunogen	
SourcePolyclonal, Rabbit,IgGPurificationThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.DilutionWestern Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.Concentration1 mg/mlPurity≥90%Storage Stability-20°C/1 yearSynonymsELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongaseObserved Band35kDCell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acidesimilarity:Belongs to the ELO family., BackgroundEndoplases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Specificity	ELOVL6 Polyclonal Antibody detects endogenous levels of ELOVL6 protein.
Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity:Belongs to the ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et action)	Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
affinity-chromatography using epitope-specific immunogen. Dilution Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids, similarity:Belongs to the ELO family., Background 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et first and rate-limiting step of fatty acid elongation (Moon et fir	Source	Polyclonal, Rabbit,IgG
applications. Concentration 1 mg/ml Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family., Background Fatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et al.)	Purification	
Purity ≥90% Storage Stability -20°C/1 year Synonyms ELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongase Observed Band 35kD Cell Pathway Endoplasmic reticulum membrane ; Multi-pass membrane protein . Tissue Specificity Ubiquitous. Function function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family., Background Fatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et al.)	Dilution	Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not yet tested in other applications.
Storage Stability-20°C/1 yearSynonymsELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongaseObserved Band35kDCell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Tissue SpecificityUbiquitous.Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Concentration	1 mg/ml
SynonymsELOVL6; FACE; LCE; Elongation of very long chain fatty acids protein 6; 3-keto acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongaseObserved Band35kDCell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Tissue SpecificityUbiquitous.Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Purity	≥90%
acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl elongaseObserved Band35kDCell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Tissue SpecificityUbiquitous.Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Storage Stability	-20°C/1 year
Cell PathwayEndoplasmic reticulum membrane ; Multi-pass membrane protein .Tissue SpecificityUbiquitous.Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Synonyms	acyl-CoA synthase ELOVL6; ELOVL fatty acid elongase 6; ELOVL FA elongase 6; Fatty acid elongase 2; hELO2; Fatty acyl-CoA elongase; Long-chain fatty-acyl
Tissue SpecificityUbiquitous.Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Observed Band	35kD
Functionfunction:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Cell Pathway	Endoplasmic reticulum membrane ; Multi-pass membrane protein .
fatty acids.,similarity:Belongs to the ELO family.,BackgroundFatty acid elongases (EC 6.2.1.3), such as ELOVL6, use malonyl-CoA as a 2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Tissue Specificity	Ubiquitous.
2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et	Function	function:Fatty acid elongase specific to C12-C16 saturated and monoinsaturated fatty acids.,similarity:Belongs to the ELO family.,
	Background	2-carbon donor in the first and rate-limiting step of fatty acid elongation (Moon et

Nanjing BYabscience technology Co.,Ltd





matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions


This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Nanjing BYabscience technology Co.,Ltd



国内优质抗体供应商 精准的 WB 检测服务 24H 在线服务,欢迎咨询





Nanjing BYabscience technology Co., Ltd

网址:www.njbybio.com 官方热线:025-5229-8998 监督电话:15950492658