



HA-tag Polyclonal Antibody

| Catalog No | BYab-04400 |
|---------------------------|---|
| Isotype | IgG |
| Reactivity | Species independent |
| Applications | WB;ELISA;IP;ELISA |
| Gene Name | HA Tag |
| Protein Name | HA-Tag |
| Immunogen | HA synthetic peptide conjugated to KLH. |
| Specificity | HA-tag Polyclonal Antibody detects HA-tagged recombinant proteins or HA-tagged proteins overexpressed in cells. |
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.05% sodium azide. |
| Source | Polyclonal, Rabbit,IgG |
| Purification | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| Dilution | Western Blot: 1/1000 - 1/3000;. IP: 1:300 Not yet tested in other applications. |
| Concentration | 1 mg/ml |
| Purity | ≥90% |
| Storage Stability | -20°C/1 year |
| Synonyms | HA epitope tag; hemagglutinin |
| Observed Band | 15kD |
| Cell Pathway | |
| Tissue Specificity | |
| Function | |
| Background | The HA tag (Y-P-Y-D-V-P-D-Y-A) is derived from an epitope (amino acids 98-106) of the influenza hemagglutinin (HA) protein. HA tag is used as a general epitope tag in expression vectors for many recombinant proteins. The presence of HA tag facilitates the detection, isolation and purification of recombinant fusion proteins. |
| matters needing attention | Avoid repeated freezing and thawing! |
| | |

Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658







Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis using HA-tag Polyclonal Antibody against HEK293 cells transfected with vector overexpressing HA tag (1) and untransfected (2). Antibody was diluted at 1:2000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



IP analysis of HA-tag Polyclonal Antibody

Nanjing BYabscience technology Co.,Ltd