



## NRARP Polyclonal Antibody

Catalog No	BYab-06881
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	NRARP
Protein Name	Notch-regulated ankyrin repeat-containing protein
Immunogen	Synthesized peptide derived from part region of human protein AA range: 1-50
Specificity	NRARP Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
0	1 ma/ml
Concentration	1 mg/ml
Purity	≥90%
	-
Purity	≥90%
Purity Storage Stability	≥90%
Purity Storage Stability Synonyms	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band	≥90% -20°C/1 year
Purity Storage Stability Synonyms Observed Band Cell Pathway	≥90% -20°C/1 year  12kD
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity	≥90%  -20°C/1 year  12kD  Eye,  function:May play a role in the formation of somites.,similarity:Belongs to the
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function	≥90%  -20°C/1 year  12kD  Eye,  function:May play a role in the formation of somites.,similarity:Belongs to the NRARP family.,similarity:Contains 2 ANK repeats.,  function:May play a role in the formation of somites.,similarity:Belongs to the
Purity Storage Stability Synonyms Observed Band Cell Pathway Tissue Specificity Function Background matters needing	≥90%  -20°C/1 year  12kD  Eye,  function:May play a role in the formation of somites.,similarity:Belongs to the NRARP family.,similarity:Contains 2 ANK repeats.,  function:May play a role in the formation of somites.,similarity:Belongs to the NRARP family.,similarity:Contains 2 ANK repeats.,


Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





## **Products Images**



Western blot analysis of lysates from DU145 cells, primary antibody was diluted at 1:1000, 4° over night

Nanjing BYabscience technology Co.,Ltd