



## LTBP1 Polyclonal Antibody

| Catalog No         | BYab-06960   |
|--------------------|--|
| Isotype            | lgG  |
| Reactivity         | Human;Mouse;Rat  |
| Applications       | WB;ELISA   |
| Gene Name          | LTBP1  |
| Protein Name       | Latent-transforming growth factor beta-binding protein 1 (LTBP-1) (Transforming growth factor beta-1-binding protein 1) (TGF-beta1-BP-1)   |
| Immunogen          | Synthesized peptide derived from part region of human protein  |
| Specificity        | LTBP1 Polyclonal Antibody detects endogenous levels of protein.  |
| Formulation        | Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.   |
| Source             | Polyclonal, Rabbit,IgG   |
| Purification       | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  |
| Dilution           | WB 1:500-2000 ELISA 1:5000-20000   |
| Concentration      | 1 mg/ml  |
| Purity             | ≥90%   |
| Storage Stability  | -20°C/1 year   |
| Synonyms           |  |
| Observed Band      | 189kD  |
| Cell Pathway       | Secreted . Secreted, extracellular space, extracellular matrix .   |
| Tissue Specificity | Expressed in the aorta (at protein level) (PubMed:17293099). Isoform Long:<br>Expressed in fibroblasts (PubMed:17293099).  |
| Function           | domain:Associates covalently with small latent TGF-beta complex via domain TB 3.,function:May be involved in the assembly, secretion and targeting of TGFB1 to sites at which it is stored and/or activated. May play critical roles in controlling and directing the activity of TGFB1. May have a structural role in the extra cellular matrix (ECM).,PTM:Contains hydroxylated asparagine residues.,PTM:The iron and 2-oxoglutarate dependent 3-hydroxylation of aspartate and asparagine is (R) stereospecific within EGF domains.,PTM:The N-terminus is blocked (isoform Short).,similarity:Belongs to the LTBP family.,similarity:Contains 18 EGF-like domains.,similarity:Contains 4 TB (TGF-beta binding) domains.,subunit:The large |

## Nanjing BYabscience technology Co.,Ltd

网址: www.njbybio.com 官方热线: 025-5229-8998 监督电话: 15950492658





## N-terminal propeptide of the TGFB1

| Background                | latent transforming growth factor beta binding protein 1(LTBP1) Homo sapiens<br>The protein encoded by this gene belongs to the family of latent TGF-beta binding<br>proteins (LTBPs). The secretion and activation of TGF-betas is regulated by their<br>association with latency-associated proteins and with latent TGF-beta binding<br>proteins. The product of this gene targets latent complexes of transforming growth<br>factor beta to the extracellular matrix, where the latent cytokine is subsequently<br>activated by several different mechanisms. Alternatively spliced transcript variants<br>encoding different isoforms have been identified. [provided by RefSeq, Jul 2008], |
|---------------------------|--|
| matters needing attention | Avoid repeated freezing and thawing!   |
| Usage suggestions         | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.  |

**Products Images** 

Nanjing BYabscience technology Co.,Ltd